

**BUSICLEAN
UNIT 8/86 BEECHBORO ROAD
BAYSWATER WA 6053**

EMERGENCY TELEPHONE (08) 9473 0333

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: WINDOW CLEANER

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

IDENTIFICATION:

PRODUCT NAME:	WINDOW CLEANER
UN NUMBER:	Not allocated
DANGEROUS GOODS CLASS:	Not allocated
SUBSIDIARY RISK:	Not allocated
HAZCHEM CODE:	Not allocated
POISONS SCHEDULE:	5

USE AND APPLICATION:

Cleaning Agent, Glass Cleaner, Window Cleaner

PHYSICAL DESCRIPTION/PROPERTIES:

FLAMMABILITY:	Non flammable
APPEARANCE/ODOUR:	Liquid/Slight odour
EXPOSURE STANDARD (TWA):	25 ppm Ammonia
BOILING POINT:	100 C (Approx)
VAPOUR PRESSURE:	Not available
SPECIFIC GRAVITY:	1.0
FLASH POINT:	Not relevant
MELTING POINT:	Not relevant
EVAPORATION RATE:	Not available
% VOLATILES:	Not relevant
EXPLOSION LIMITS (%):	Not relevant
SOLUBILITY:	Soluble

OTHER PROPERTIES:

PH: 7.5

INGREDIENTS:

	<u>CAS No</u>	<u>Proportion</u>
Ammonia	7664-41-7	1-5%
Ethylene Glycol Monobutyl Ether	111-76-2	1-5%
Methylated Spirits	Not available	1-10%
Surfactant	Not available	0.01-0.1%
Water	7732-18-5	Not available

HEALTH HAZARDS:

-

EYE

Irritant. Exposure may result in lacrimation, pain, redness, conjunctivitis and possible corneal burns with prolonged contact.

INHALATION

Irritant – slightly narcotic. Over exposure may result in mucous membrane irritation of the nose and throat with coughing. At high levels, lower respiratory tract irritation, nausea, dizziness, headache and possible breathing difficulties.

SKIN

Irritant. Prolonged and repeated contact may result in drying and defatting of the skin with rash and dermatitis.

INGESTION

Low toxicity. Ingestion may result in gastrointestinal irritation, nausea and vomiting with large doses. Aspiration may result in chemical pneumonitis and pulmonary oedema.

PRECAUTIONS FOR SAFE USE:

PPE:

Wear splash proof goggles or safety glasses. With prolonged use, wear PVC or rubber gloves.

VENTILATION:

Ensure adequate natural ventilation.

FLAMMABILITY:

Non-flammable. May evolve toxic gasses (carbon/nitrogen oxides, hydrocarbons, ammonia) when heated to decomposition.

REACTIVITY:

Incompatible with oxidising agents (eg peroxides, hypochlorites), acids (eg sulfuric acid), alkalis (eg hydroxides), heat and ignition sources.

FIRST AID

EYE

Flush gently with running water, holding eyelids open for 20 minute period. Seek immediate medical attention.

INHALATION

If over exposure occurs leave exposure area immediately. If other than minor symptoms are displayed seek immediate medical attention.

SKIN

Remove contaminated clothing and gently flush affected areas with water. Seek medical attention if irritation develops. Launder clothing before reuse.

INGESTION

If poisoning occurs, contact a Doctor or Poisons Information Centre on 131126 (Australia wide). Do not induce vomiting. Give glass of water to drink, seek urgent medical attention.

SAFE HANDLING PROCEDURES

STORAGE

Store in cool, dry, well ventilated area, removed from oxidising agents, alkalis, acids and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

TRANSPORT

Not regulated for transport purposes.

WASTE DISPOSAL

For small amounts, absorb with sand, vermiculite or similar and dispose of to an approved landfill site. For larger quantities contact Risk Management Technologies on (08) 9322 1711 for additional specific information. Prevent contamination of drains or waterways as aquatic life may be threatened and environmental damage may result.

EMERGENCY RESPONSE

SPILLAGE

If spilt (bulk), contact emergency services where appropriate. Wear a splash proof goggles, PVC/rubber gloves, a type AK (Organic vapour, Ammonia) respirator (where inhalation risk exists), coveralls and boots. Ventilate and clear area of all unprotected personnel. Absorb spill with sand or similar, collect and place in sealable containers for disposal.

FIRE/EXPLOSION

Non flammable. Evacuate area and contact emergency services. Toxic gases (hydrocarbons, carbon/nitrogen oxides, ammonia) may be evolved. Remain upwind and notify those downwind of hazard. Wear full protective equipment (see spillage above), including Self Contained Breathing Apparatus (SCBA) when combating fire. Use water fog to cool intact containers and nearby storage areas.

EXTINGUISH

Non-flammable. Prevent contamination of drains or waterways, absorb runoff with sand or similar.

NOTE: The information contained in this bulletin is offered on data that we believe to be reliable and has been prepared in good faith, but without guarantee, as conditions and methods of use of our products are beyond our control.

KEEP ALL CHEMICALS AWAY FROM CHILDREN

CONTACT POINT:

**THE MANAGER
BUSICLEAN
UNIT 8/86 BEECHBORO ROAD
BAYSWATER WA 6053**

EMERGENCY TELEPHONE:

(08) 9473 0333